

Proven Performance in Oil & Gas Applications

Hazardous location LED lighting solutions


 **RIG-A-LITE™**



Setting the Standard in Drilling Illumination

Backed by over 80 years of industry experience, RIG-A-LITE delivers the highest standard in hazardous location lighting—built to perform in the extreme conditions of oil and gas environments, both onshore and offshore.

Location Key	
A	Crown
B	Derrick/Mast
C	Drill Floor
D	Dog House
E	Mud Pumps & Mud Pits
F	Generators/Power Skids
G	Walkway & Stairs
H	Bridge
I	Substructure/Base
J	Helipad



Usage and Specifications

Locations	Model	Type	Lumens	Wattage	Classifications	Certifications
G,S	CHL LED	Hazardous Location Linear (non-metallic)	3,710-9,884	30-80	C1D2, C2D2, C3, Zone 2, Zone 22	UL 844, UL 924, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, IP66, LM79/LM80
B,G,H,L,S	MHL LED	Hazardous Location Linear	3,620-11,252	30-80	C1D2, C2D2, C3, Zone 2, Zone 22, ATEX, IECEx	UL 844, UL 924, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, ABS Type, IP66, LM79/LM80
B,G,S	MHLS LED	Hazardous Location Linear (stainless)	3,620-11,252	27-77	C1D2, C2D2, C3, Zone 2, Zone 22	UL 844, UL 924, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, ABS Type, IP66
B,C,E,I,O,R	XML LED	Explosion-Proof Linear	3,806-12,253	30-90	C1D1, C1D2, C2D1, C3, ATEX, IECEx	UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, NEMA 7CD, Simultaneous Presence, ABS Type, IP66, Paint Spray Booth, DLC Listed, LM79/LM80
E,I,O,R	XP LED	Explosion-Proof Linear	2,537-15,790	16-100	C1D1, C1D2, C2D1, C2D2, C3, Zone 1, Zone 2	UL 844, UL 924, UL 1598, UL 1598A, UL 8750, NEMA 3, NEMA 4, NEMA 4X, NEMA 7CD, NEMA 9EFG, Simultaneous Presence, cUL Listed, IP66, Paint Spray Booth, DLC Listed, LM79/LM80
L,S	MAR2 LED	Hazardous Location Linear	5,476-7,660	56-74	C1D2	UL 844, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, DLC Listed, LM79/LM80
A,D,F,K,M,N,P	LHFL LED	Hazardous Location Floodlight/ High-Bay	8,059-25,940	64-194	C1D2, C2D1, C2D2, C3, Zone 2, Zone 22, ATEX, IECEx	UL 844, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, ABS Type, IP66, DLC Listed, LM79/LM80
M,N	LHFLJ LED	Hazardous Location Floodlight/ High-Bay	8,059-16,420	64-127	C1D2, C2D1, C2D2, C3, Zone 2, Zone 22, ATEX, IECEx	UL 844, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, ABS Type, IP66, DLC Listed, LM79/LM80
H	HZALJ Hi-Lumen LED	Hazardous Location Area Light	16,450-31,720	118-246	C1D2, Zone 2	UL 844, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, ABS Type, IP66, LM79/LM80
D,F,G,N,P,S	HZALJ LED	Hazardous Location Area Light	3,253-13,430	22-97	C1D2, C2D1, C3, Zone 2	UL 844, UL 924, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, ABS Type, IP66, LM79/LM80
G,S	SAFJ LED	Hazardous Location Area Light	3,810-5,210	30-42	C1D2, C2D2, C3	UL 844, UL 1598A, UL 8750, NEMA 3R, NEMA 4X, ABS Type, IP66, DLC Listed, LM79/LM80, 1.30 Spacing
C,O,R	XHBF LED	Explosion-Proof Area Light	5,812-15,400	45-135	C1D1, C2D1, C3, Zone 1, Zone 21, ATEX, IECEx	UL 844, UL 924, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, Simultaneous Presence, ABS Type, IP66, LM79/LM80
O,R	SXPJ LED	Explosion-Proof Area Light	5,063-9,112	42-77	C1D1, C2D1, C3, Zone 1, ATEX, IECEx	UL 844, UL 1598, UL 8750, NEMA 4X, ABS Type, IP66, Paint Spray Booth, DLC Listed, cUL Listed, LM79/LM80, 2.34 Spacing
G,H,M,N,J	AVPH LED	Industrial Globe & Guard (aluminum)	1,769	20	C1D2, Zone 2	UL 844, UL 1598, UL 1598A, UL 8750, NEMA 3, NEMA 4, NEMA 4X, cUL Listed, ABS Type
E-Series						
B,L	EHLV LED	Hazardous Location Linear	5,100-13,600	30-80	C1D2, C2D1, C2D2, C3, Zone 2, Zone 21	UL 844, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, IP67, IK10, 5G, ASTM B117-11
A,K	EHSL Duplex LED	Hazardous Location Floodlight	48,000-64,000	300-400	C1D2, C2D1, C2D2, C3, Zone 1, Zone 2, Zone 21, Zone 22	UL 844, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, IP67, IK09, 3G, ASTM B117-11
C,O,R	EHSL LED	Explosion-Proof High-Bay	12,800-32,000	80-200	C1D1, C1D2, C2D1, C3, Zone 1, Zone 2, Zone 21, Zone 22	UL 844, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, IP67, Paint Spray Booth, IK09, 5G, ASTM B117-11
D,F,G,N,P,S	EHRL LED	Hazardous Location High-Bay	6,800-32,000	40-200	C1D2, C2D1, C2D2, C3, Zone 2, Zone 21, Zone 22	UL 844, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, IP67, IK09, 5G, ASTM B117-11
D,F,G,N,P,S	EHRM LED	Hazardous Location Area Light	6,000-9,600	40-60	C1D2, C2D1, C2D2, C3, Zone 2, Zone 21, Zone 22	UL 844, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, IP67, IK09, 5G, ASTM B117-11
G,S	EHRS LED	Hazardous Location Area Light	1,500-4,500	10-30	C1D2, C2D1, C2D2, C3, Zone 1, Zone 2, Zone 21, Zone 22	UL 844, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, IP67, Paint Spray Booth, IK09, 5G, ASTM B117-11
C,O,R	EHSM LED	Explosion-Proof Low-Bay/Area Light	3,200-9,600	20-60	C1D1, C1D2, C2D1, C2D2, C3, Zone 1, Zone 2, Zone 21, Zone 22	UL 844, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, IP67, IK09, 5G, ASTM B117-11
M,N	EHW LED	Hazardous Location LED Wallpack	3,300-4,950	20-30	C1D2, C2D1, C2D2, C3, Zone 2, Zone 21, Zone 22	UL 844, UL 1598, UL 1598A, UL 8750, CSA, NEMA 4X, IP67, IK10, 5G, ASTM B117-11

Location Key	
K	Crown
L	Racking Board Derrick
M	Camp Trailers
N	Driller's Cabin
O	Drill Floor
P	Generator Skids
R	Substructure
S	Walkway & Stairs

Trusted in the Most Challenging Environments

Whether upstream, midstream, or downstream applications, RIG-A-LITE remains the choice for producers, drilling contractors, and specifying engineers for land rigs, offshore platforms, refineries and other oil and gas environments around the globe.

RIG-A-LITE Advantages



Warranties

5- to 10-year warranties depending on fixture and quote. Exact terms provided in your quote.



Custom Brackets

Dual-drilled brackets available for easy retrofit—mounts to any existing fixture, any brand.



Made in the USA

Legacy Series proudly made in the USA.



QuickShip & Stock


QuickShip and stock programs available. Call 713-943-0340 for fast delivery.

LED Lighting Solutions

Legacy Series

CHL LED

Hazardous Location
Linear (non-metallic)



MHL LED

Hazardous Location
Linear



MHLS LED

Hazardous Location
Linear (stainless)



XML LED

Explosion-Proof
Linear



XP LED

Explosion-Proof
Linear



MAR2 LED

Hazardous Location
Linear



AVPH LED

Industrial Globe &
Guard (aluminum)



LHFL LED

Hazardous Location
Floodlight/High-Bay




LHFLJ LED

Hazardous Location
Floodlight/High-Bay



HZALJ Hi-Lumen LED

Hazardous
Location
Area Light



HZALJ LED

Hazardous
Location
Area Light



XHBF LED

Explosion-Proof
Area Light



SAFJ LED

Hazardous
Location
Area Light



SXPJ LED

Explosion-Proof
Area Light



E-Series

EHLV LED

Hazardous Location
Linear




EHSL Duplex LED

Hazardous
Location
Floodlight




EHSL LED

Explosion-Proof
High-Bay




EHRL LED

Hazardous
Location
High-Bay



EHRM LED

Hazardous
Location
Area Light




EHRS LED

Hazardous
Location
Area Light




EHSM LED

Explosion-Proof
Low-Bay/Area
Light



EHW LED

Hazardous
Location
LED Wallpack





8500 Hansen Road
Houston, TX 77075
(713) 943-0340